

22 : Lubricating system 5CYL W/O TURBO, B5202FS

S70, 1997, B5202FS, M56, L.H.D, YV1LS4102V1409796, 409796

5/3/2017



PRINT




Fig.	Description	Qty.	PS	Part number
<input type="checkbox"/> 1	Oil pump 2000-, ENG -2669352, , (9458426)	1.00		30650144
<input type="checkbox"/>	Oil pump	1.00		30650144

<input type="checkbox"/>		ENG 2669353-			
<input type="checkbox"/>		Oil pump	1.00		9207951
		-1999, , (1275932)			
<input type="checkbox"/>	2	Gasket kit	1.00		271439
		ENG -1185999			
<input type="checkbox"/>		Gasket kit	1.00		274260
		ENG 1186000-			
<input type="checkbox"/>	3	• O-ring	1.00		981204
		(981460)(948983)			
<input type="checkbox"/>	4	• Sealing ring	1.00		6842273
<input type="checkbox"/>	5	• Gasket	1.00		1275404
<input type="checkbox"/>	6	Sealing ring	1.00	IK	8642560
		(978393)			
<input type="checkbox"/>	7	Sealing ring	1.00	IK	8642559
		O.DIA 20.3 mm, , (978392)			
<input type="checkbox"/>	8	Six point socket screw	4.00		987348
		(9135098)			
<input checked="" type="checkbox"/>	9	Pulley			
<input checked="" type="checkbox"/>		• 2VALVE, -1998	1.00	XX	
		Crank mechanism 5CYL -1998 2VALVE			
<input checked="" type="checkbox"/>		• 2VALVE, 1999	1.00	XX	
		Crank mechanism 5CYL 1999 2VALVE			
<input checked="" type="checkbox"/>		• 4VALVE, -1998	1.00	XX	
		Crank mechanism 5CYL -1998 4VALVE W/O TURBO			
<input checked="" type="checkbox"/>		• 4VALVE, 1999	1.00	XX	
		Crank mechanism 5CYL 1999 4VALVE W/O TURBO			
<input checked="" type="checkbox"/>		• 4VALVE, 2000-		XX	
		Crank mechanism 5CYL 2000- W/O TURBO			
<input type="checkbox"/>	10	Oscillation damper	1.00		1275801
<input type="checkbox"/>	11	Nut	1.00		3531111
<input type="checkbox"/>	12	Flange screw	4.00		985375
<input type="checkbox"/>	13	Suction line	1.00		1366447
		-1999			
<input type="checkbox"/>		Suction line	1.00		9186116
		2000-, , REPL 1 PCS 30650552, 2 PCS 982777			
<input type="checkbox"/>	14	Flange screw	2.00		982775
<input type="checkbox"/>	15	O-ring	1.00	IK	30637867
<input type="checkbox"/>	16	Oil sump	1.00		1271604
		-1999			
<input type="checkbox"/>		Oil sump	1.00		1275868
		2000-			
<input type="checkbox"/>	17	• Gasket	1.00		977751
<input type="checkbox"/>	18	• Plug	1.00		986833
		(978138)			
<input type="checkbox"/>	19	• Plug	1.00		986811
<input type="checkbox"/>	20	• Valve	1.00		463963
<input type="checkbox"/>	21	Flange screw	4.00		985324
		M7x100, When replacing flange screw use thread lock part number 1161056-5.			
<input type="checkbox"/>	22	Sealing ring	1.00		1366791
<input type="checkbox"/>	23	Cap	1.00		1366780
<input type="checkbox"/>	24	Flange screw	2.00		985133
<input type="checkbox"/>	25	Dipstick	1.00		9454823
		REPL 1PCS 9497550-5, , 1PCS 9497557-0.			
<input type="checkbox"/>		Dipstick	1.00		9497557
<input type="checkbox"/>	25a	• Sign	1.00		1275178

<input type="checkbox"/>	26	* O-ring	2.00		955973
<input type="checkbox"/>	27	Pipe REPL 1 PCS 9458487-7,, , 1 PCS 9454823-7.	1.00		3528061
<input type="checkbox"/>		Pipe REPL 1PCS 9497550-5, , 1PCS 9497557-0.	1.00		9458487
<input type="checkbox"/>		Pipe	1.00		9497550
<input type="checkbox"/>	28	Flange screw	1.00		982793
<input type="checkbox"/>	29	Sealing ring	1.00	IK	30637865
<input type="checkbox"/>	30	Nipple -1999	1.00		1366855
<input type="checkbox"/>	31	Oil filter -1999	1.00		3517857
<input type="checkbox"/>	32	Piston (1397867)	1.00		1271903
<input type="checkbox"/>	33	Spring	1.00		3507452
<input type="checkbox"/>	34	Gcp retaining ring	1.00		973876
<input type="checkbox"/>	47	Cap 2000-,ENG -2464408, , (1275809)	1.00		1275808
<input type="checkbox"/>		Cap ENG 2464409-	1.00		1275808
<input type="checkbox"/>	48	* Filter insert 2000-,ENG -2464408, , (1275811)	1.00		1275810
<input type="checkbox"/>		* Filter insert ENG 2464409-	1.00		1275810
<input checked="" type="checkbox"/>	49	* * O-ring 2000-	1.00	NS	
<input type="checkbox"/>	50	O-ring kit SEE FIG. 6, 7, 15, 29, , 37,38.	1.00		8648358
<input type="checkbox"/>	51	Flange screw M7x20	22.00		985133
<input type="checkbox"/>	52	Flange screw M7x40	3.00		985322
<input type="checkbox"/>	53	Chemical gasket	1.00		1161059

5/3/2017

PRINT